




SMITHS COIN METER - TYPE OF COIN ACTION NEW £1.00 COIN

It is possible that your Smiths coin meter will already accept the new £1.00 coin without any adjustment. It will depend upon the type of coin action your Smiths meter has, "X" OR "Y". In most cases the "X" coin action will already accept the new £1.00. However, all "Y" type coin actions will require a small adjustment before accepting the new £1.00 coin.

If your coin action does need adjustment it is a quick and simple procedure, you do NOT need to uninstall your meter, just remove the coin action.

DO I HAVE AN "X" OR "Y" TYPE SMITHS COIN ACTION?

You can tell which type of coin action you have by the shape of the coin register number windows, as follows:-



TYPE "X" COIN ACTION

As mentioned above, most of this type of coin action will already accept the new £1.00 coin. If it does need adjusting it is a very simple, quick procedure to adjust it – see "Y" type coin action below.

TYPE "Y" COIN ACTION

This type of coin action has a large circular brass attachment where the butterfly handle attaches. All of this type of coin action will require a small amount of filing to the outer edge of the coin entry slot before the coin action will accept the new £1.00 coin.





The outer edge of the coin action requires a small amount of filing to accept the new £1.00 coin.



Visit our website to see our video showing the quick and simple adjustment needed: www.electricmeters.co.uk

We have a stock of blanks of the new £1.00 coin available for you to check if it fits into your coin meters and files available to allow you to pre-adjust your coin action if necessary, in readiness for the new £1.00 coin. Please contact us for details.

01803 297179 | 01803 299488